










Type	Displacement	Flow		Pressure	max Speed	Dimension										
		at 1500 rpm	at max rpm			P _{nom}	n	A	B	Inlet			Outlet			
	cm³/rev	l/min	l/min	bar	rpm	mm	mm	E	d	F	E	d	F			
30A(C)20X236H	20	28,2	56,4	250	3000	56,1	116,7	40	M8	19						
30A(C)22,2X236H	22,5	31,7	63,5	250	3000	57,6	119,7									
30A(C)25X236H	25	35,3	70,5	250	3000	58,3	121,1									
30A(C)28X236H	28	39,5	79,0	250	3000	60,2	124,7									
30A(C)32X236	32	45,1	75,2	250	2500	62,0	128,3	51								
30A(C)32X236H	32	45,1	90,2	250	3000	66,5	137,3									
30A(C)36X236	36	50,8	84,6	250	2500	63,5	131,4							40	M8	19
30A(C)36X236H	36	51,3	95,8	250	2800	68,0	140,5									
30A(C)42X236	42	59,9	91,8	230	2300	66,3	137,0									
30A(C)42X236H	42	59,9	99,8	230	2500	70,8	146,1									
30A(C)46X236H	46	65,6	100,5	230	2300	72,7	149,8							51	M10	27
30A(C)50X236H	50	71,3	99,8	200	2100	74,5	153,4									
30A(C)55X236H	55	78,4	91,4	200	1750	76,7	157,9									
30A(C)60X236H	60	85,5	99,8	180	1750	78,7	162,4									



Type	Displacement	Flow		Pressure P _{nom}	max Speed n	Dimension									
		at 1500 rpm	at max rpm			A	B	Inlet			Outlet				
	cm³/rev	l/min	l/min	bar	rpm	mm	mm	M	G	G3	M	G	G3		
30A(C)20X163H	20	28,2	56,4	250	3000	56,1	116,7	M27x1,5	G3/4"-A	G3/4"-A	M27x1,5	G3/4"-A	G1/2"-A		
30A(C)22,2X163H	22,5	31,7	63,5	250	3000	57,6	119,7								
30A(C)25X163H	25	35,3	70,5	250	3000	58,3	121,1								
30A(C)28X163H	28	39,5	79,0	250	3000	60,2	124,7								
30A(C)32X163	32	45,1	75,2	250	2500	62,0	128,3	M33x1,5	G1"-A	G1"-A				G3/4"-A	G3/4"-A
30A(C)32X163H	32	45,1	90,2	250	3000	66,5	137,3								
30A(C)36X163	36	50,8	84,6	250	2500	63,5	131,4								
30A(C)36X163H	36	51,3	95,8	250	2800	68,0	140,5								
30A(C)42X163	42	59,9	91,8	230	2300	66,3	137,0								
30A(C)42X163H	42	59,9	99,8	230	2500	70,8	146,1								
30A(C)46X163H	46	65,6	100,5	230	2300	72,7	149,8								
30A(C)50X163H	50	71,3	99,8	200	2100	74,5	153,4								
30A(C)55X163H	55	78,4	91,4	200	1750	76,7	157,9								
30A(C)60X163H	60	85,5	99,8	180	1750	78,7	162,4								



1
Variants: "M"; "G" threads

Designation: 30A(C)...X237HM(G)

For ports measures see table at 30A(C)...X163H

Type	Displacement	Flow		Pressure P _{nom}	max Speed n	Dimension										
		at 1500 rpm	at max rpm			Inlet			Outlet							
	cm³/rev	l/min	l/min	bar	rpm	mm	mm	E	d	F	E	d	F			
30A(C)20X237H	20	28,2	56,4	250	3000	56,1	116,7	40	M8	19	40	M8	19			
30A(C)22,2X237H	22,5	31,7	63,5	250	3000	57,6	119,7									
30A(C)25X237H	25	35,3	70,5	250	3000	58,3	121,1									
30A(C)28X237H	28	39,5	79,0	250	3000	60,2	124,7									
30A(C)32X237	32	45,1	75,2	250	2500	62,0	128,3	51	M10	27				40	M8	19
30A(C)32X237H	32	45,1	90,2	250	3000	66,5	137,3									
30A(C)36X237	36	50,8	84,6	250	2500	63,5	131,4									
30A(C)36X237H	36	51,3	95,8	250	2800	68,0	140,5									
30A(C)42X237	42	59,9	91,8	230	2300	66,3	137,0									
30A(C)42X237H	42	59,9	99,8	230	2500	70,8	146,1									
30A(C)46X237H	46	65,6	100,5	230	2300	72,7	149,8									
30A(C)50X237H	50	71,3	99,8	200	2100	74,5	153,4									
30A(C)55X237H	55	78,4	91,4	200	1750	76,7	157,9									
30A(C)60X237H	60	85,5	99,8	180	1750	78,7	162,4									

Type	Displacement	Flow		Pressure	max Speed	Dimension													
		at 1500 rpm	at max rpm			P _{nom}	n	A	B	Inlet			Outlet						
	cm ³ /rev	l/min	l/min	bar	rpm	mm	mm	E	d	F	E	d	F						
30A(C)20X353H	20	28,2	56,4	250	3000	56,1	116,7	40	M8	19									
30A(C)22,2X353H	22,5	31,7	63,5	250	3000	57,6	119,7												
30A(C)25X353H	25	35,3	70,5	250	3000	58,3	121,1												
30A(C)28X353H	28	39,5	79,0	250	3000	60,2	124,7												
30A(C)32X353	32	45,1	75,2	250	2500	62,0	128,3	51											
30A(C)32X353H	32	45,1	90,2	250	3000	66,5	137,3												
30A(C)36X353	36	50,8	84,6	250	2500	63,5	131,4							40	M8	19			
30A(C)36X353H	36	51,3	95,8	250	2800	68,0	140,5												
30A(C)42X353	42	59,9	91,8	230	2300	66,3	137,0										51	M10	27
30A(C)42X353H	42	59,9	99,8	230	2500	70,8	146,1												
30A(C)46X353H	46	65,6	100,5	230	2300	72,7	149,8												
30A(C)50X353H	50	71,3	99,8	200	2100	74,5	153,4												
30A(C)55X353H	55	78,4	91,4	200	1750	76,7	157,9												
30A(C)60X353H	60	85,5	99,8	180	1750	78,7	162,4												